



Adhesives

MATERIAL SAFETY DATA SHEET

WET SEAL TANKING

1. SUBSTANCE IDENTIFICATION

PRODUCT NAME: NORCROS WATER-SEAL TANKING

PRODUCT DETAILS: Ready mixed aqueous dispersion waterproof coating for tiled installations

SUPPLIER: NORCROS ADHESIVES
Harewood Street
Tunstall
Stoke-on-Trent
Staffordshire
ST6 5JZ

Tel: 44 (0) 1782 524 140
Fax: 44 (0) 1782 524 141

2. COMPOSITION AND COMPONENTS DATA

COMPOSITION COMMENTS: Aqueous polymer dispersion containing inert organic fillers and additives.

3. HAZARDS IDENTIFICATION

HAZARD IDENTIFICATION: Not classified as hazardous under current regulations.

4. FIRST AID MEASURES

AFTER INHALATION: Move affected personnel into fresh air.
If symptoms develop seek medical attention.

AFTER INGESTION: Wash out mouth with clean water. Do not induce vomiting. Drink plenty of water. If symptoms develop seek medical attention.

AFTER CONTACT WITH SKIN: Wash affected area thoroughly with soap and water. If discomfort or irritation develops seek medical attention.

AFTER CONTACT WITH EYES: Make sure that any contact lenses are removed before rinsing opened eye using plenty of clean water for at least 15 minutes.
Seek medical attention if discomfort persists.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Product is non flammable. Use extinguisher appropriate for the surrounding fire.

6. ACCIDENTAL RELEASE MEASURES

PRECAUTIONS IN SPILL: Wear suitable clothing - see section 8.
Avoid material entering drains or water courses.

SPILL CLEAN UP METHODS: Clean up by mechanical means or with absorbent materials such as sand

or sawdust etc.

7. HANDLING AND STORAGE

HANDLING: Ensure good ventilation. Avoid skin and eye contact.

STORAGE PRECAUTIONS: Store in original containers which are kept upright with lids tightly closed. Protect from frost and damp conditions.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

PERSONAL PROTECTION: Wear suitable protective gloves for prolonged or repeated skin contact. Wear safety goggles where there may be a risk of eye contact.

VENTILATION: Provide adequate general and local exhaust ventilation.

GENERAL PROTECTION: Provide eyewash station. Wear appropriate clothing to prevent possible skin contact.

HYGIENIC WORK PRACTICES: Wash during breaks and at the end of the work. Do not eat, drink or smoke while working with this material. Remove any contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Paste

10. STABILITY AND REACTIVITY

STABILITY: Normally stable when stored correctly.

CONDITIONS TO AVOID: Protect from frost.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide (CO₂) and Carbon Monoxide (CO) are created by high temperatures or fire.

11. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: No specific health warnings noted.

12. ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Not regarded as dangerous for the environment.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: In accordance with local authority regulations.

14. TRANSPORT INFORMATION

TRANSPORT: Not classified as hazardous for transport regardless of method.

15. REGULATORY INFORMATION

RISK PHRASES: Not classified.

SAFETY PHRASES: S-2 Keep out of the reach of children
S-26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S-28A After contact with skin, wash immediately with plenty of water.
S-36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

16. OTHER INFORMATION

REVISION COMMENTS:

REVISION DATE:

PRINTING DATE: Jul-05